



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

French immigrants, 2; inspection of Arabs, 5; inspection of Japanese, 3; fumigation carload of bones, 1; disinfection soiled linen imported for laundry work, 512 pieces; detention of 7 Spaniards and 2 Arabs for 2 days, having been only 3 days out from Veracruz, Mexico.

Inspection at Laredo, Tex.

Acting Assistant Surgeon Hamilton reports, May 15, as follows:

Week ended May 13, 1905: Number passenger trains from Mexico inspected, 14; persons on passenger trains from Mexico inspected, 649; immigrants on passenger trains from Mexico inspected, 32; immigrants vaccinated upon entry from Mexico, 18; number of persons detained or refused entry for reason of being from a suspected port within five days, 4.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,
YEARLY AND MONTHLY.

CALIFORNIA—*Oakland*.—Month of April, 1905. Estimated population 83,000. Total number of deaths 75, including cerebro-spinal meningitis 2, diphtheria 2, enteric fever 6, and 3 from phthisis pulmonalis.

Sacramento.—Month of April, 1905. Estimated population, 35,000. Total number of deaths, 40, including 8 from phthisis pulmonalis.

ILLINOIS—*Rockford*.—Month of April, 1905. Estimated population, 37,000. Total number of deaths, 36, including enteric fever 1, and 4 from tuberculosis.

INDIANA.—From the Monthly Bulletin of the State Board of Health:

MORTALITY.

January, 1905.—Total number of deaths reported, 3,309; rate, 14.7. In the corresponding month last year, 3,177; rate, 14. Deaths by important ages were: Under 1, 519, or 16.6 per cent; 1 to 5, 169; 5 to 10, 72; 10 to 15, 58; 15 to 20, 100; 65 and over, 982, or 31.5 per cent of the total. Some important causes of death were: Pulmonary tuberculosis, 362; other forms of tuberculosis, 31; typhoid fever, 50; diphtheria, 29; scarlet fever, 17; whooping cough, 13; pneumonia, 588; diarrheal diseases, 29; cerebro-spinal meningitis, 28; influenza, 114; puerperal septicæmia, 19; cancer, 99; violence, 129; smallpox, 7.

February, 1905.—Total number of deaths, 3,723; rate, 18.2. In the corresponding month last year, 3,860 deaths; rate, 18.3. In the preceding month, 3,309 deaths; rate, 14.7. Deaths by important ages were: Under 1, 686, or 19.3 per cent; 1 to 5, 193; 5 to 10, 61; 10 to 15, 54; 15 to 20, 93; 65 and over, 1,111, or 31.3 per cent. Some important causes of death were: Pulmonary tuberculosis, 381; other forms of tuberculosis, 29; typhoid fever, 32; diphtheria, 21; scarlet fever, 11; whooping cough, 11; pneumonia, 738; diarrheal diseases, 13; cerebro spinal meningitis, 40; influenza, 229; puerperal septicæmia, 7; cancer, 101; violence, 122; smallpox, 8.

March, 1905.—Total number of deaths, 3,656; rate, 16.2. In the corresponding month last year, 3,860 deaths; rate, 18.1. In the preceding month, 3,723 deaths; rate, 18.2. Deaths by important ages were: Under 1 year, 580, or 16.6 per cent of the total deaths; 1 to 5, 207; 5 to 10, 75; 10 to 15, 52; 15 to 20, 96; 65 and over, 1,028, or 29.5 per cent. Some important causes of death were: Pulmonary tuberculosis, 399; other forms of tuberculosis, 43; typhoid fever, 30; diphtheria, 25; scar-

let fever, 16; whooping cough, 15; pneumonia, 584; diarrheal diseases, under-5 21; cerebro-spinal meningitis, 45; influenza, 145; puerperal fever, 12; cancer, 107; violence, 161; smallpox, 1.

LOUISIANA—*New Orleans*.—Month of April, 1905. Estimated population, 325,000; white, 239,000; colored, 86,000. Total number of deaths, 506; white, 307; colored, 199; including diphtheria 4, enteric fever 6, whooping cough 2, smallpox 1, and 79 from tuberculosis.

MAINE—*Portland*.—Four weeks ended November 19, 1904. Estimated population, 53,500. Total number of deaths, 70, including diphtheria 1, enteric fever 1, and 5 from tuberculosis.

Four weeks ended December 17, 1904. Total number of deaths, 80, including diphtheria 1, enteric fever 1, and 7 from tuberculosis.

Four weeks ended January 14, 1905. Total number of deaths, 70, including whooping cough 1, and 3 from tuberculosis.

Four weeks ended February 11, 1905. Total number of deaths, 90, including diphtheria 2, enteric fever 2, whooping cough 1, and 7 from tuberculosis.

Four weeks ended March 11, 1905. Total number of deaths, 80, including diphtheria 1, enteric fever 1, whooping cough 2, and 4 from tuberculosis.

MICHIGAN.—*Mortality during April, 1905*.—The total number of deaths returned to the department of state for the month of April was 3,022, a decrease of 345 from the number returned for the preceding month. The death rate was only 14.4 per 1,000 population, as compared with 15.5 for March and 15.7 for April, 1904.

There were 432 deaths of infants under 1 year of age, 171 deaths of children aged 1 to 4 years, inclusive, and 934 deaths of elderly persons over 65 years.

A marked diminution appears in the deaths of infants under 1 year.

Important causes of death were as follows: Tuberculosis of lungs, 243; other forms of tuberculosis, 34; typhoid fever, 38; diphtheria and croup, 24; scarlet fever, 10; measles, 15; whooping cough, 7; pneumonia, 228; meningitis, 57; influenza, 72; cancer, 140; accidents and violence, 147.

A slight increase appears in the mortality from typhoid fever, and considerable decrease in the number of deaths returned from pneumonia and influenza. Meningitis caused 57 deaths during the month, as compared with 54 for March.

There were 4 deaths from smallpox, distributed as follows: 1 in Alpena city, Alpena County; 1 in Dorr Township, Allegan County; 1 in Walker Township, Kent County, and 1 in the city of Grand Rapids.

MINNESOTA—*Minneapolis*.—Month of April, 1905. Estimated population, 235,000. Total number of deaths, 186, including diphtheria 3, enteric fever 5, and 22 from tuberculosis.

NEW HAMPSHIRE—*Concord*.—Month of April, 1905. Estimated

population, 20,000. Total number of deaths, 30, including 4 from tuberculosis.

Manchester.—Month of April, 1905. Estimated population, 62,000. Total number of deaths, 137, including cerebro-spinal meningitis 27, measles 1, whooping cough 1, and 12 from tuberculosis.

NEW YORK—*Auburn.*—Month of April, 1905. Estimated population, 40,000. Total number of deaths, 45, including cerebro-spinal meningitis 2, and 3 from tuberculosis.

Buffalo.—Month of April, 1905. Estimated population, 400,000. Total number of deaths, 547, including diphtheria 7, enteric fever 3, measles 21, scarlet fever 1, whooping cough 6, and 54 from tuberculosis.

Troy.—Month of April, 1905. Census population, 75,057. Total number of deaths, 166, including diphtheria 2, enteric fever 6, measles 4, scarlet fever 6, and 16 from tuberculosis.

OHIO—*Cleveland.*—Month of April, 1905. Estimated population, 440,000. Total number of deaths, 520, including diphtheria 7, enteric fever 7, scarlet fever 1, whooping cough 7, and 62 from tuberculosis.

East Liverpool.—Month of April, 1905. Estimated population, 20,000. Total number of deaths, 31, including diphtheria 1, scarlet fever 3, and 6 from tuberculosis.

Ironton.—Month of March, 1905. Estimated population, 14,000. Total number of deaths, 25, including cerebro-spinal meningitis 2, enteric fever 2, and 3 from tuberculosis.

Month of April, 1905. Total number of deaths, 11, including cerebro-spinal meningitis 1, and 4 from tuberculosis.

OREGON—*Portland.*—Month of April, 1905. Estimated population, 153,000. Total number of deaths 122, including diphtheria 1, enteric fever 2, and 15 from tuberculosis.

PENNSYLVANIA—*South Bethlehem.*—Month of April, 1905. Estimated population, 16,000. Total number of deaths, 26. No contagious diseases reported.

UTAH.—From the bulletin of the State board of health for April, 1905:

Reports of contagious and infectious diseases for the month of April, received from 153 local health officers in 26 counties, 67 of whom reported their communities free from all contagious and infectious diseases, show:

Scarlet fever, present in 14 localities, with 65 cases and no deaths; smallpox, 26 localities, with 176 cases and no deaths; diphtheria, 12 localities, with 39 cases and 7 deaths; typhoid fever, 10 localities, with 15^a cases and 1 death; whooping cough, 22 localities, with 136^a cases and 10^b deaths; measles, 38 localities, with 551^a cases and 9^c deaths; chicken pox, 6 localities, with 19^a cases and no deaths; pneumonia, 33 localities, with 72^a cases and 27 deaths; tuberculosis, 5 localities, with 6^a cases and 2 deaths; total, 1,079 cases and 56 deaths.

^a Report of cases incomplete.

^b Includes 4 deaths due to complication with measles.

^c Includes deaths due to measles and pneumonia complications.

Incomplete returns of mortality from 23 counties, with 30 cities, 13 incorporated towns, and 50 villages, having an estimated population of 173,669 reporting, show a total of 256 deaths from all causes, representing a death rate of 14.79+ per thousand.

WASHINGTON—*Tacoma*.—Month of April, 1905. Estimated population, 70,000. Total number of deaths, 42, including whooping cough 1, and 7 from tuberculosis.

WISCONSIN—*Milwaukee*.—Month of March, 1905. Estimated population, 335,000. Total number of deaths, 337, including diphtheria 4, enteric fever 5, measles 1, scarlet fever 4, whooping cough 2, and 38 from tuberculosis.

ARRIVALS OF IMMIGRANTS.

Report of immigration at Baltimore.

Number of aliens who arrived at this port during the week ended May 20, 1905; also names of vessels and ports from which they come.

Date of arrival.	Vessel.	Where from.	Number of aliens.
May 15	Salvatore Di Giorgio	Port Antonio	3
18	Breslau	Bremen	1,681
19	Nordkap	Bombay	1
	Total	1,685

LOUIS T. WEIS, *Commissioner*.

Report of immigration at Boston.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Boston, Mass., May 13, 1905.

Arrival of alien steerage passengers at this port during the week ended Saturday, May 13, 1905; also the names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of aliens.
May 7	Admiral Farragut	Port Morant	14
8	Cymric	Liverpool	807
9	Devonian	do	3
9	Canopic	Genoa and Naples	1,734
9	Sachem	Liverpool	2
10	Consuelo	Hull	8
10	Admiral Schley	Port Morant	4
12	Kingstonian	Antwerp	1
	Total	2,573

GEO. B. BILLINGS, *Commissioner*.